



### 1 HP Counter Top Commercial Cheese Grater 110V

**Model Number: 2230**

These models allow for easy grating of hard cheese and breads. Suitable for small to medium applications

Motor: 1 HP. (110 Volt AC. 60 HZ. 1 Phase)

Height: 15"

Depth: 12"

Width: 16"

Capacity: 96 Lbs. Per hour

Gross Weight: 45lbs.



### 1/2 HP Counter Top Commercial Cheese Grater 110V

**Model Number: ABA12C6**

These models allow for easy grating of hard cheese and breads. Designed to be suitable for small to medium applications

Motor: 1/2 HP. (110 Volt AC. 60 HZ. 1 Phase)

Height: 12"

Depth: 11.40"

Width: 10.35"

Capacity: 45 Lbs. Per hour

Gross Weight: 20 lbs.



*Bakery Equipment & Supplies Bar Supplies Beverage Equipment  
& Supplies Cooking Equipment Cookware & Ovenware Concession  
Equipment Furniture Glassware Holding & Serving Equipment  
Ice Machines Janitorial & Brushes Kitchen Utensils Pizza Supplies  
Preparation Equipment Refrigeration Safety Sanitation Scales  
Smallware Storage & Transport Tabletop & Service Textiles  
Walk-In Coolers & Freezers Work Tables & Sinks*



*Bakery Equipment & Supplies Bar Supplies Beverage Equipment  
& Supplies Cooking Equipment Cookware & Ovenware Concession  
Equipment Furniture Glassware Holding & Serving Equipment  
Ice Machines Janitorial & Brushes Kitchen Utensils Pizza Supplies  
Preparation Equipment Refrigeration Safety Sanitation Scales  
Smallware Storage & Transport Tabletop & Service Textiles  
Walk-In Coolers & Freezers Work Tables & Sinks*

*Bakery Equipment & Supplies Bar Supplies Beverage Equipment  
& Supplies Cooking Equipment Cookware & Ovenware Concession  
Equipment Furniture Glassware Holding & Serving Equipment  
Ice Machines Janitorial & Brushes Kitchen Utensils Pizza Supplies  
Preparation Equipment Refrigeration Safety Sanitation Scales  
Smallware Storage & Transport Tabletop & Service Textiles  
Walk-In Coolers & Freezers Work Tables & Sinks*

**Ph: (305) 325-8888 Fax: (305) 325-9760**

**sales@abamaster.com • 2170 N.W. 19 Ave. Miami, Florida 33142-7452**